



# REFERENCE LIST 2016

*Information for healthcare professionals.*



THE ORIGINAL

**OAT  
LY!**

## GENERAL

Beck E, et al. Oat beta-glucan increases postprandial cholecystokinin levels, decreases insulin response and extends subjective satiety in overweight subjects. *Mol Nutr Food Res.* 2009;53:1343-1351.

Butt MS, et al. Oat: unique among the cereals. *Eur J Nutr.* 2008;47(2):68-79.

Clemens R, et al. Oats: more than just a whole grain. A series of papers. *BJN.* 2014;112, Supp 2. Published online Sept 29, 2014.

Cloetens, L et al. Role of dietary beta-glucans in the prevention of the metabolic syndrome. *Nutr Rev.* 2012;70(8):444-458.

EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on the substantiation of health claims related to beta-glucans from oats and barley and maintenance of normal blood LDL-cholesterol concentrations, increase in satiety leading to a reduction in energy intake, reduction of post-prandial glycaemic responses, and digestive function. *EFSA Journal.* 2011;9(6):2207. Pursuant to article 13 (1) of Regulation (EC) No 1924/2006 <http://www.efsa.europa.eu/en/efsajournal/doc/2207.pdf>

Heyman, MB. Lactose Intolerance in Infants, Children and Adolescents. *Pediatrics.* 2006;118:1279-1286.

Luyt D, et al (2014). BSACI guideline for the diagnosis and management of cow's milk allergy. *Clinical & Experimental Allergy.* 2014;44:642-672. <http://www.bsaci.org/Guidelines/milk-allergy>

Mann KD, et al. Low whole grain intake in the UK: results from the National Diet and Nutrition Survey rolling programme 2008 -11. *B J Nutr.* 2015; 113:1643-1651.

Matthews SB, et al. Systemic lactose intolerance: a new perspective on an old problem. *Post Grad. Med. J.* 2005;81:167-173.

Meyer, R. Cows' Milk Protein Allergy in Infants & Paediatrics. *Complete Nutrition* 2013;13(2):12-14.

National Institute for Clinical Excellence. Diagnosis and assessment of food allergy in children and young people in primary care and community settings. 2011; CG 116.

Ruxton C, et al. The Role of Oats and Oats Products in the UK Diet. *Complete Nutrition.* 2014/15;14(6):55-57

Ryan L, et al. Oat-based breakfast cereals are a rich source of polyphenols and high in antioxidant potential. *J Food Comp Anal.* 2011;24(7):929-934.

Rytter E, et al. Changes in Plasma Insulin, Enterostatin, and Lipoprotein Levels during an Energy-Restricted Dietary Regimen Including a New Oat-Based Liquid Food. *Ann Nutr Metab.* 1996;40:212-220.

Salas-Salvado J, et al. Effect of two doses of a mixture of soluble fibres on body weight and metabolic variables in overweight or obese patients: a randomised trial. *Br J Nutr.* 2008; 99:1380-1387.

Singh R, et al. Avena sativa (Oat), A Potential Nutraceutical and Therapeutic Agent: An Overview. *Crit Rev Food Sci.* 2013;53(2): 126-144.

Stanton, H. Lactose Intolerance in Infants and Children. *Complete Nutrition.* 2014;14(3):59-62.

Venter C, et al. Diagnosis and management of non-IgE-mediated cow's milk allergy in infancy - a UK primary care practical guide. *Clin Transl Allergy* 2013, 3:23. <http://www.ctajournal.com/content/3/1/23>

Zerm R et al. Oatmeal Diet Days May Improve Insulin Resistance in Patients with Type 2 Diabetes Mellitus. *Forsch Komplementarmed.* 2013;20(6):465-468.

## HEART HEALTH

Andon MB, Anderson JW. State of the Art Reviews: The Oatmeal-Cholesterol Connection: 10 Years Later. *AJLM.* 2008;2:51-57.

Bjorklund M, et al. Changes in serum lipids and postprandial glucose and insulin concentrations after consumption of beverages with beta-glucans from oats or barley: a randomized dose-controlled trial. *Eur J Clin Nutr.* 2005 Nov;59(11):1272-1281.

Brown L, et al. Cholesterol-lowering effects of dietary fiber: a meta-analysis. *Am J Clin Nutr.* 1999;69(1):30-42.

Bruckert E, Rosenbaum D. Lowering LDL-cholesterol through diet: potential role in the statin era. *Curr Opin Lipidol.* 2011 Feb;22(1):43-48.

Chen J, et al. The role of molecular weight and viscosity of oat  $\beta$ -glucan in hypocholesterolemic effect. *Am J Clin Nutr.* 2010;92:1538.

EFSA. Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on the substantiation of health claims related to beta glucans and maintenance of normal blood cholesterol concentrations and maintenance or achievement of a normal body weight pursuant to article 13(1) of Regulation (EC) No 1924/2006. *EFSA Journal.* 2009;7(9):1254. <http://www.efsa.europa.eu/en/efsajournal/doc/1254.pdf>

EFSA. Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on the substantiation of a health claim related to oat beta-glucan and lowering blood cholesterol and reduced risk of (coronary) heart disease pursuant to Article 14 of Regulation (EC) No 1924/2006. *EFSA Journal.* 2010;8(12):1885. <http://www.efsa.europa.eu/en/efsajournal/pub/1885.htm>

Flight I, Clifton P. Cereal grains and legumes in the prevention of coronary heart disease and stroke: a review of the literature. *Eur J Clin Nutr.* 2006 Oct;60(10):1145-1159.

Granfeldt, Y et al. Muesli with 4g oat beta-glucans lowers glucose and insulin responses after a bread meal in healthy subjects. *Eur J Clin Nutr.* 2008;62(5):600-607.

International Atherosclerosis Society. An International Atherosclerosis Society Position Paper: Global Recommendations for the Management of Dyslipidemia. 2013; Full Report. [http://www.athero.org/download/IASPPGuidelines\\_FullReport\\_20131011.pdf](http://www.athero.org/download/IASPPGuidelines_FullReport_20131011.pdf)

Joint British Societies' consensus recommendations for the prevention of cardiovascular disease. (*JBS3*) *Heart.* 2014;100: ii1-ii67.

Joint Health Claims Initiative. Final report on a generic health claim for oats and reduction of blood cholesterol. 2004. Accessed online <http://web.archive.nationalarchives.gov.uk/nobanner/20130404135254/http://www.jhci.org.uk/approv/oats.htm> (Sept 2014)

Karmally W, et al. Cholesterol-lowering benefits of oat-containing cereal in Hispanic americans. *J Am Diet Assoc.* 2005 Jun;105(6):967-970.

Kelly SAM, et al. Wholegrain cereals for coronary heart disease. *Cochrane Database Syst Rev.* 2007;2:CD005051. <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD005051.pub2/pdf>

Kerckhoffs DA, et al. Cholesterol-lowering effect of  $\beta$ -glucan from oat bran in mildly hypercholesterolemic subjects may decrease when  $\beta$ -glucan is incorporated into bread and cookies. *Am J Clin Nutr.* 2003;78(2):221-227. <http://ajcn.nutrition.org/content/78/2/221.abstract>

Main L. Oats and Oat Products in Cholesterol Lowering Diets. *Complete Nutrition.* Dec/Jan 2015;15 (6):63-65.


Maki KC, et al. Effects of consuming foods containing oat beta-glucan on blood pressure, carbohydrate metabolism and biomarkers of oxidative stress in men and women with elevated blood pressure. *Eur J Clin Nutr.* 2007 June;61(6):786-795.

Maki KC, et al. Whole-grain ready-to-eat oat cereal, as part of a dietary program for weight loss, reduces low-density lipoprotein cholesterol in adults with overweight and obesity more than a dietary program including low-fiber control foods. *J Am Diet Assoc.* 2010 Feb;110(2):205-214.

Naumann E, et al.  $\beta$ -Glucan incorporated into a fruit drink effectively lowers serum LDL-cholesterol concentrations. *Am J Clin Nutr.* 2006;83:601-605.

National Institute for Clinical Excellence. Lipid modification. Cardiovascular risk assessment and the modification of blood lipids for the primary and secondary prevention of cardiovascular disease. 2014; CG 181.

Onning G, et al. Effects of Consumption of Oat Milk, Soya Milk, or Cow's Milk on Plasma Lipids and Antioxidative Capacity in Healthy Subjects. *Ann Nutr Metab.* 1998;42:211-220.



Onning G, et al. Consumption of Oat Milk for 5 Weeks Lowers Serum Cholesterol and LDL Cholesterol in Free-Living Men with Moderate Hypercholesterolemia. *Ann Nutr Metab.* 1999;43:301-309.

Pereira MA, et al. Dietary fiber and risk of coronary heart disease: a pooled analysis of cohort studies. *Arch Intern Med.* 2004;164:370-6.

Queenan KM, et al. Concentrated oat beta-glucan, a fermentable fiber, lowers serum cholesterol in hypercholesterolemic adults in a randomized controlled trial. *Nutr J.* 2007 Mar 26;6:6.

Reyna-Villasmil N, et al. Oat-derived beta-glucan significantly improves HDLC and diminishes LDLC and non-HDL cholesterol in overweight individuals with mild hypercholesterolemia. *Am J Ther.* 2007 Mar-Apr;14(2):203-12.

Ripsin CM, et al. Oat Products and Lipid Lowering. A Meta-analysis. *JAMA* 1992;267(24):3317-3325.

Robitaille J, et al. Effect of an oat bran-rich supplement on the metabolic profile of overweight premenopausal women. *Ann Nutr Metab.* 2005 May-Jun;49(3):141-148.

Ruxton CHS, Derbyshire E A. A systematic review of the association between cardiovascular risk factors and regular consumption of oats. *Br Food J.* 2008;110:1119-1132. <http://www.nutrition-communications.co.uk/uploadedfiles/file/2008%20BFJ%20oats%20review.pdf>

Ryan D, et al. Bioactivity of oats as it relates to cardiovascular disease. *Nutr Res Rev.* 2007;20:147-162.

<http://journals.cambridge.org/action/displayFulltext?type=1&fid=1452540&jid=NR&volumeld=20&issueld=02&aid=1452532&bodyld=&membershipNumber=&societyETOCSession=>

Theuwissen E, Mensink RP. Water-soluble dietary fibers and cardiovascular disease. *Physiol Behav.* 2008 May 23;94(2):285-292.

Theuwissen E, Mensink RP. Simultaneous Intake of  $\beta$ -Glucan and Plant Stanol Esters Affects Lipid Metabolism in Slightly Hypercholesterolemic Subjects. *J Nutr.* 2007;137(3):583-588. <http://jn.nutrition.org/content/137/3/583.full.pdf+html>

Tighe P, et al. Effect of increased consumption of whole-grain foods on blood pressure and other cardiovascular risk markers in healthy middle-aged persons: a randomized controlled trial. *Am J Clin Nutr.* 2010 Oct;92(4):733-740.

Tong L-T et al. Oat oil lowers the plasma and liver cholesterol concentrations by promoting the excretion of faecal lipids in hypercholesterolemic rats. *Food Chem.* 2014;142:129-134.

US Department of Health and Human Services, Food and Drug Administration. Food Labeling: Health claims; Oats and Coronary Heart Disease—final rule. *Fed Regist.* 1997;62:3584-3601. <https://www.federalregister.gov/articles/1997/01/23/97-1598/food-labeling-health-claims-oats-and-coronary-heart-disease>

Whelton SP, et al. Effect of dietary fiber and on blood pressure: a meta-analysis of randomized, controlled clinical trials. *J Hypertens.* 2005;23:475-81.

Whitehead A, et al. Cholesterol-lowering effects of oat beta-glucan: a meta-analysis of randomised controlled trials. *Am J Clin Nutr.* 2014; 100:1413-21.

Wolever TM, et al. Physicochemical properties of oat  $\beta$ -glucan influence its ability to reduce serum LDL cholesterol in humans: a randomized clinical trial. *Am J Clin Nutr.* 2010 Oct;92(4):723-732.

Xu, R. Oat fibre: overview on their main biological properties. *Eur Food Res Technol.* 2012;234(4):563-569.

## PLANT-BASED EATING

Carlsson-Kanyama, A. and A.D.Gonzalez, Potential contributions of food consumption patterns to climate change. *Am J Cl Nutr.* 2009 89(5): 1704S-1709S.

Craig WJ, Mangels AR. Position of The American Dietetic Association: Vegetarian Diets. *J Am Diet Assoc* 2009;109:1266-82.

FAO (2010). Final document: International Scientific Symposium Biodiversity and Sustainable Diets: United against Hunger. 3-5 November 2010, Food and Agriculture Organisation, Rome

Foresight. The Future of Food and Farming (2011) Final Project Report. The Government Office for Science, London.

Florén B, Nilsson K, Wallman M. Lifecycle analysis of oat drink, SIK report Sweden. 2013

Gardner CD, et al. The Effect of a Plant-Based Diet on Plasma Lipids in Hypercholesterolemic Adults: A Randomized Trial. *Ann Intern Med.* 2005;142(9):725-733.

Garnett T. What is a sustainable healthy diet? Accessed online [http://www.fcrcn.org.uk/sites/default/files/fcrn\\_what\\_is\\_a\\_sustainable\\_healthy\\_diet\\_final.pdf](http://www.fcrcn.org.uk/sites/default/files/fcrn_what_is_a_sustainable_healthy_diet_final.pdf) (Sept 2014)

Harland, JI. Food combinations for cholesterol lowering. *Nutr Res Rev.* 2012;25(2): 249-266.

Houston MC, et al. Nonpharmacologic Treatment of Dyslipidemia. *Prog Cardiovasc Dis.* 2009;52(2):61-94.

Huang J, et al. The Impact of Dietary Changes and Dietary Supplements on Lipid Profile. *Can J Cardiol.* 2011;27(4): 488-505.

Jenkins DJ, et al. Assessment of the longer-term effects of a dietary portfolio of cholesterol-lowering foods in hypercholesterolemia. *Am J Clin Nutr.* 2006 Mar;83(3):582-591. <http://ajcn.nutrition.org/content/83/3/582.full.pdf+html>

Jenkins DJA, et al. Direct comparison of a dietary portfolio of cholesterol-lowering foods with a statin in hypercholesterolemic participants. *Am J Clin Nutr.* 2005;81(2):380-387.

Key TJ, et al. Health effects of vegetarian and vegan diets. *Proc Nutr Soc.* 2006; 65(1):35-41.

Mangels R, Protein in the vegan diet. Accessed online <http://www.vrg.org/nutrition/protein.php> (Sept 2014)

Marsh K, et al. Health Implications of a Vegetarian Diet: A Review. *AJLM.* 2012;6(3):250-267.

McEvoy, CT et al. Vegetarian diets, low-meat diets and health: A review. *Public Health Nutr.* 2012;15(12):2287-2294. [http://journals.cambridge.org/download.php?file=%2FPHN%2FPHN15\\_12%2FS1368980012000936a.pdf&code=d39f0472a9d659e3d69390f92ddf4fcd](http://journals.cambridge.org/download.php?file=%2FPHN%2FPHN15_12%2FS1368980012000936a.pdf&code=d39f0472a9d659e3d69390f92ddf4fcd)

Meier T, Christen O. Environmental impacts of dietary recommendations and dietary styles: Germany as an example. *Environmental Science and Technology.* 2013;47:877-888.

NHS choices (2014) Accessed online <http://www.nhs.uk/Livewell/Goodfood/Pages/eatwell-plate.aspx> (Sept 2014)

Orlich MJ, et al. Vegetarian Dietary Patterns and the Risk of Colorectal Cancers. *JAMA Intern Med.* 2015. Published online March 09, 2015.

Swedish National food agency. Accessed online <http://www.slv.se/sv/grupp1/Mat-och-naring/kostrad/Rad-om-vegetarisk-mat/> (Sept 2014)

Swedish National food agency. Accessed online <http://www.slv.se/sv/grupp1/Mat-och-naring/Maltider-i-vard-skola-omsorg/Skolmaltider/Vegetariska-skolmaltider/Veganost-i-skolan/> (Sept 2014)

Swedish National food agency. Accessed online <http://www7.slv.se/Naringsok/Naringsammen.aspx> (Sept 2014)

WWF, Livewell: a balance of healthy and sustainable food choices. Accessed online [http://assets.wwf.org.uk/downloads/livewell\\_report\\_jan11.pdf](http://assets.wwf.org.uk/downloads/livewell_report_jan11.pdf) (Sept 2014)





To find out more or to contact us visit

<http://www.oatly.com/hcp>

**THE ORIGINAL**

**OAT  
LY!**

Produced in October 2016